TATA STEEL # WeAlsoMakeTomorrow Steelium **SUPER** PRIDE OF FABRICATION The SUPERSTAR in Retail

TATA STEEL

Tata Steel Limited, Tata Centre, 43, Jawaharlal Nehru Road, Kolkata 700 071
Phone: 91 33 2288 7051 / 8251 Fax: 91 33 2288 5926, Toll free Helpline: 1800 345 8282

Retail Focus for a '**Super**'ior User Experience

Tata Steelium was launched at a time when the market for cold rolled steel was fragmented and served by a host of undifferentiated products. It was to address this customer discomfort that Tata Steelium was designed to provide a complete peace of mind in purchase and consumption of cold rolled steel, through technological sophistication, assured availability, consistency of quality, customisation and dedicated distribution and service channels. In 2003, Tata Steelium was the first branded cold rolled steel in India.

A new era of Tata Steelium begins with the brand's entry into evolving retail markets.

TATA STEEL BSL

TATA

Creating **Pride** of Fabrication

Tata Steelium Super will provide effective support to the end users of CR Sheets catering to the unaddressed demands of sectors such as Furniture, General Engineering. Positioned as a premium value-creating product, Tata Steelium Super will help fabricators find a perfect balance between value for money and end-customer satisfaction.

Tata Steelium Super will ensure consistent availability of the highest quality of branded CR Sheets, delivered to fabricators and other end-users through an organised Distributor-Dealer network, driven by Tata Steel's ethics and values. Tata Steelium Super will be produced from TSBSL and will comply IS516(Part 1): 2016 requirements.





Making a 'Super'-Star – Tata Steelium Super



'Super'ior Advantages





Superior Surface Finish –

- Clean surface helps to reduce pretreatment costs
- Ensures quality and aesthetic superiority



Superior Drawability –

Robust mechanical properties ensure better performance during stamping and forming



Superior

Tolerances –

Robust dimensional tolerances will allow a greater number of CR sheets per ton, thereby increasing value for money



Superior

Flatness -

- Tabletop flatness (<5 mm of wave height) in sheet-form supply
- Reduces rework and improves weldability, joint strength and productivity



Standardised Packaging-

Sustainable LDPE and HDPE packaging with metal strapping will preserve sheet quality



Dedicated Technical Support -

Backed by a dedicated technical team to collaborate closely with customers



Robust Channel & Support Network –

Pan-India presence will ensure timely delivery





Recommended Consumer Price –

Transparent pricing to enable trust and collaboration within the community

The 'Super'ior Edge

Responding to the needs of India's ever evolving retail market, Tata Steelium Super is geared to provide a big momentum in the world of fabrication. With its spectrum of product and service offerings, backed by a legacy of trust, Tata Steelium Super assures its customers of an expanding scope for business. As an emerging retail brand Tata Steelium Super will give the 'super'ior edge to fabricators and usher in a revolution in quality and value in the retail market for CR steel.

Tata Steelium Super is ideal for a wide range of end-user fabricated products for home and office use such as:

- 1. Steel furniture, such as Almirahs, Filing cabinets, Bookshelves, Lockers and more
- 2. Storage bins and racks
- 3. Inverter covers
- 4. Switchboard covers















Storage Instructions

Tata Steelium Super has a protective coating of Rust-Preventive oil (1000-1500 mg/m2/side). Additionally, the following measures need to be taken for better rust prevention in sheets:



Storage Indoors in dry, well ventilated conditions



Use supplied HDPE & LDPE to cover unused sheets



Do not leave uncovered sheets in the open



Ensure that storage area is not prone to water accumulation



Ensure that the sheets are stored over saddles or wooden blocks placed properly to avoid toppling of sheets



In case of storage outdoors, erect simple scaffolding with loose fitting tarpaulin or waterproof sheets to allow air circulation

Product Identification



Technical Specifications

Chemical Properties

| Specification | IS513(part1):2016 CR1 | IS513(part1):2016 CR1 | IS513(part1):2016 CR2 |
|---------------|--------------------------|--------------------------|--------------------------|
| TDC | SR15 | SR16 | SR17 |
| C (%) | 0.12 Max | 0.08 Max | 0.08 Max |
| Mn (%) | 0.25-0.60 | 0.15-0.25 | 0.15-0.25 |
| S (%) | 0.050 Max | 0.050 Max | 0.050 Max |
| P (%) | 0.040 Max | 0.040 Max | 0.040 Max |
| Si (%) | 0.060 Max | 0.060 Max | 0.060 Max |
| AI (%) | NA | NA | NA |
| N (%) | 90 PPM Max | 90 PPM Max | 90 PPM Max |
| CE (%) | - | - | - |

Mechanical Properties

| Specification | IS513(part1):2016 CR1 | IS513(part1):2016 CR1 | IS513(part1):2016 CR2 |
|-------------------|--------------------------|--------------------------|--------------------------|
| TDC | SR15 | SR16 | SR17 |
| Hardness (HRB) | 55-65 | 50-60 | 55 Max |
| Roughness (µ) | 0.70-1.60 | 0.70-1.60 | 0.8 - 1.6 |

SKU Basket/ Product Offerings

| Specification | TDC | Thickness (mm) | Width (mm) |
|-----------------------|------|----------------|------------|
| IS513(part1):2016 CR1 | SR15 | 0.50-2.50 | 900-1320 |
| IS513(part1):2016 CR1 | SR16 | 0.25-0.45 | 900-1250 |
| IS513(part1):2016 CR2 | SR17 | 0.40-2.50 | 900-1320 |

Dimensional Tolerance

| Width (mm) | | 0.00–2.00 | | |
|-----------------------------|-----------|-----------|--|--|
| Length (mm) | | 0.00–2.00 | | |
| Diagonal Difference (mm) | | 0.00-2.00 | | |
| Gross Packaging Weight (Mt) | | 3.00 Max | | |
| Thickness (µ) | SR15/SR16 | SR17 | | |
| 0.25mm ≤ -< 0.80mm | 40 Max | - | | |
| 0.80mm ≤ - < 1.50mm | 50 Max | - | | |
| 1.50mm ≤ - < 2.50mm | 60 Max | - | | |
| 0.40mm ≤ - <1.00mm | - | 40 Max | | |
| 1.00mm ≤ - <1.50mm | - | 50 Max | | |
| 1.50mm ≤ - <2.00mm | - | 60 Max | | |
| 2.00mm ≤ - < 2.50mm | - | 80 Max | | |

Our **Pan-India** Reach



Sales Office

North Zone

Delhi

Tata Steel Limited

15th Floor, Hindustan Times Building, New Delhi 110 001

Phone: 011-66248500

Tata Steel BSL Limited

Ground Floor, Plot 1&2, Mira Corporate Suites, Mathura Road

New Delhi, India

Ghaziabad

Tata Steel Limited

Plot No. 1227-1229, GT Road, Lalkuan, Ghaziabad 201 001 Phone: 0120-2866780

Faridabad

Tata Steel Limited

2nd Floor, Business Centre 33-B NIT, Faridabad 121001

Phone: 0129-4098321

Chandigarh

Tata Steel Limited

SCO -16, 1st Floor, Sector 26, Madhya Marg, Chandigarh 160 019

Phone: 0172-2791047/2790932

Kanpui

Tata Steel Limited

16/97, Navroz Building, The Mall, Kanpur 208 001

Phone: 0512-2316605

Ludhiana

Tata Steel Limited

C/44-47, Phase II, near Majestic Auto,

Punjab, Ludhiana 141 010, Phone: 0161-5022805

Jaipur

Tata Steel Limited

D -34, Subhash Marg, Near Agrasen, Circle, Jaipur 302 001

Phone: 0141-2225244

East Zone

Kolkata

Tata Steel Limited

43, Jawaharlal Nehru Road, Kolkata 700 071

Phone: 033-22821778/22281348

Tata Steel BSL Limited

Jasmine Towers, 31, Shakespeare Sarani Road,

Mullick Bazar, Park Street, West Bengal, Kolkata - 700017

Bhubaneswar

Tata Steel Limited

Marketing & Sales, 2 - B, Fortune Tower, Chandrasekharpur Odisha, Bhubaneswar 751023, Phone: 0674-6651007

Jamshedpur

Tata Steel Limited

Opposite Chummery Guest House

B Road East, Northern town, Bistupur, Jamshedpur 831001

Phone: 0657-6500511

Guwahati

Tata Steel Limited

Guwahati Sales Office

4th floor, Subham Velocity, Honuram Boro Path, Opp. Wallford

G S Road, Guwahati 781005, Phone: 0361-2130959

Patna

Tata Steel Limited

4th Floor, Orchid Mall, Opposite AN College, Boring Road Patna 800 001, Phone: 0612-2570094.95/96

West Zone

Mumbai

Tata Steel Limited

3rd Floor, One Forbes 1, Dr V B Gandhi Marg Fort Mumbai 400001, Phone: 022 67494600

Fort Murribal 4000

Tata Steel Limited

2nd Floor, Premchand House Annexe, P.O. Box No. 4096, Ashram Road, Old High Court Way Ahmedabad 380 009

Phone: 798012306

Indore

Tata Steel Limited

3rd Floor, NRK Business Park, Block B -1, PU-4,

Scheme No. 54 Vijay Nagar Square, A B Road Indore 452010, MP Phone: 0731-6450688/691

Nagpur

Tata Steel Limited

Museum Road, Civil Lines Nagpur 440 001

Phone: 0712-2520170/2533209

Pune

Tata Steel Limited

Office Nos. 6 & 7, Second floor Wing B,

Great Eastern Plaza (Bajaj Allianz Building)

Airport Road, Pune 411001, Phone: 020 66407580

Raipur

Tata Steel Limited

Office No-539, 5th Floor Magneto Office, Raipur 492001

Khopoli

Tata Steel BSL Limited

At- I Po-Khalapur, Via- Savroli, Dist- Raigad 410203

Maharashtra, India

South Zone

Chennai

Tata Steel Limited

8th Floor, Chettinad Sigapi Achi Building

18/3 - Rukmini Lakshmipathy Road (Behind Air India Office)

Egmore, Chennai 600 008, Phone: 044-66960024

Tata Steel BSL Limited

(Formerly known as BHUSHAN STEEL LIMITED)

No.190, Unit-1, 3rd Floor, Mount Chambers, Anna Salai

Chennai - 600 002, Tamil Nadu, India

Bengaluru

Tata Steel Limited

A Wing, 2nd Floor, Jubilee Building, 45, Museum Road,

Bengaluru 560 025, Phone: 080-66950001

Hyderabad

Tata Steel Limited

6th Floor, Gummidelli Towers 1-10-39 to 44,

Begumpet Airport Road, Hyderabad, Telangana 500016 Phone: 040-67040300

Tata Steel BSL Limited

305, Purni Plaza, Khairatabad, Hyderabad - 500004

Telangana, India

Kochi

Tata Steel Limited

Santha Nivas, Door No. 41/3393, Manaikkapadi Lane, PRA No. 52, Padivattom Edappally (Post), Kochi - 682 024

Coimbatore

Tata Steel Limited

No:6, New Damunagar, Pulaikulam, Coimbatore-641036